

Combined Systems MODEL 6230 CS Smoke Grenade

Winchester Australia Ltd

Chemwatch: **5257-79** Version No: **2.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 4

Issue Date: **18/07/2017** Print Date: **20/06/2019** L.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Combined Systems MODEL 6230 CS Smoke Grenade	
Synonyms	Not Available	
Proper shipping name	AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

Registered company name	Winchester Australia Ltd	
Address	65 Hays Road Moolap, Geelong VIC 3224 Australia	
Telephone	+61 3 5245 2400	
Fax	+61 3 5248 2409	
Website	Not Available	
Email	aedmondson@olin.com.au	

Emergency telephone number

Association / Organisation	Winchester Australia Ltd
Emergency telephone numbers	0418 158 337 All hours
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	1		
Toxicity	2		0 = Minimum
Body Contact	2		1 = Low 2 = Moderate
Reactivity	4		3 = High
Chronic	0		4 = Extreme

Poisons Schedule	Not Applicable	
Classification ^[1]	Explosive Division 1.4, Self Reactive Type A, Acute Toxicity (Oral) Category 4, Acute Toxicity (Inhalation) Category 4, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Chronic Aquatic Hazard Category 2	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI	

Label elements

Hazard pictogram(s)







SIGNAL WORD DA

DANGER

Hazard statement(s)

H204	Fire or projection hazard.
H240	Heating may cause an explosion.

Chemwatch: **5257-79** Page **2** of **13**

Version No: **2.1.1.1**

Combined Systems MODEL 6230 CS Smoke Grenade

Issue Date: **18/07/2017** Print Date: **20/06/2019**

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s) Prevention

,,		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P234	Keep only in original container.	
P250	Do not subject to grinding/shock/sources of friction.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P220	Keep/Store away from clothing/organic material/combustible materials.	
P240	Ground/bond container and receiving equipment.	
P261	Avoid breathing dust/fumes.	
P270	Do not eat, drink or smoke when using this product.	
P273	Avoid release to the environment.	

Precautionary statement(s) Response

P362	Take off contaminated clothing and wash before reuse.	
P370+P380	In case of fire: Evacuate area.	
P370+P380+P375	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	
P372	Explosion risk in case of fire.	
P374	Fight fire with normal precautions from a reasonable distance.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P373	DO NOT fight fire when fire reaches explosives.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
P330	Rinse mouth.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P370+P378	In case of fire: Use water spray/fog for extinction.	

Precautionary statement(s) Storage

P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P411	Store at temperatures not exceeding 30°C/86°F (see storage requirements on SDS).	
P401	Store according to local regulations for explosives.	
P420	Store away from other materials.	

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
3811-04-9	25-50	potassium chlorate
57-50-1	10-25	sucrose
2698-41-1	10-25	o-chlorobenzylidene malononitrile
7760-50-1	10-25	magnesium carbonate hydroxide
7757-79-1	<10	potassium nitrate
9004-70-0	<10	<u>nitrocellulose</u>
7440-21-3	<10	silicon powder amorphous
7440-44-0	<10	carbon, activated

Chemwatch: 5257-79 Page 3 of 13 Issue Date: 18/07/2017 Version No: 2.1.1.1 Print Date: 20/06/2019

Combined Systems MODEL 6230 CS Smoke Grenade

10294-40-3	<1	barium chromate
7440-02-0	<0.1	nickel
592-87-0	<0.1	lead thiocyanate

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Description of first aid measi	nies .
Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If furnes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. Inhalation of vapours or aerosols (mists, furnes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 Not considered a normal route of entry. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

Indication of any immediate medical attention and special treatment needed

▶ Seek medical advice.

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

▶ **WARNING**: Deliver water spray or fog from a safe distance only.

Special hazards arising from the substrate or mixture

Fire Incompatibility	
----------------------	--

- Avoid contact with other explosives, pyrotechnics, solvents, adhesives, paints, cleaners and unauthorized metals, plastics, packing equipment and
- ▶ Avoid contamination with acids, alkalis, reducing agents, amines and phosphorus.

Advice for firefighters

Advice for illelighters	
Fire Fighting	WARNING: EXPLOSIVE MATERIALS / ARTICLES PRESENT! Evacuate all personnel and move upwind. Prevent re-entry. Alert Fire Brigade and tell them location and nature of hazard. May detonate and burning material may be propelled from fire. Wear full-body protective clothing with breathing apparatus. Prevent, by any means available, spillage and fire effluent from entering drains and water courses. Fight fire from safe distances and from protected locations. Use flooding quantities of water. DO NOT approach containers or packages suspected to be hot. Cool any exposed containers not involved in fire from a protected location. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	Division 1.4 Substances, mixtures and articles which present no significant hazard: substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package. Compatibility Group E explosives are articles containing a secondary detonating explosive substance, without means of initiation, with a propelling charge (other than one containing a flammable liquid or gel or hypergolic liquids) Individual devices will randomly explode. Will not mass explode if multiple devices are involved. In unusual cases, shrapnel may be thrown from exploding devices under containment
HAZCHEM	1YE

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Chemwatch: 5257-79 Page 4 of 13

Issue Date: 18/07/2017 Version No: 2.1.1.1 Print Date: 20/06/2019 Combined Systems MODEL 6230 CS Smoke Grenade

Environmental precautions

See section 12

Methods and material for containment and cleaning up

WARNING!: EXPLOSIVE BLAST and/or PROJECTION and/or FIRE HAZARD Clean up all spills immediately. Avoid inhalation of the material and avoid contact with eyes and skin. Wear impervious gloves and safety glasses. **Minor Spills** Remove all ignition sources. Use spark-free tools when handling. Sweep into non-sparking containers or barrels and moisten with water. Place spilled material in clean, sealable, labelled container for disposal. ▶ Flush area with large amounts of water. WARNING!: EXPLOSIVE ► Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Consider evacuation (or protect in place). **Major Spills** In case of transport accident notify Police, Emergency Authority, Competent Explosives Authority or Manufacturer. ▶ No smoking, naked lights, heat or ignition sources. ► Increase ventilation. Use extreme caution to prevent physical shock. Use only spark-free shovels and explosion-proof equipment. Collect recoverable material and segregate from spilled material.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

▶ Wash spill area with large quantities of water.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling	g
Safe handling	 Handle gently. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Avoid all personal contact, including inhalation. Avoid smoking, naked lights, heat or ignition sources. Explosives must not be struck with metal implements. Avoid mechanical and thermal shock and friction. Use in a well ventilated area. Avoid contact with incompatible materials. When handling DO NOT eat, drink or smoke. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Under normal handling, no exposure to harmful materials will occur.
Other information	 Store cases in a well ventilated magazine licensed for the appropriate Class, Division and Compatibility Group. Rotate stock to prevent ageing. Use on FIFO (first in-first out) basis. Observe manufacturer's storage and handling recommendations contained within this SDS. Store in a cool place in original containers. Keep containers securely sealed. No smoking, naked lights, heat or ignition sources. Store in an isolated area away from other materials. Keep storage area free of debris, waste and combustibles. Protect containers against physical damage. Check regularly for spills and leaks NOTE: If explosives need to be destroyed contact the Competent Authority.

		NOTE: If explosives need to be destroyed contact the Competent Authority.				
Conditions	for safe storage,	including any inco	mpatibilities			
	Suitable container	, ,				ents of the relevant Code for the transport of Dangerous Goods. ecisive effect on the hazard and therefore on the assignment to a particular
Sto	rage incompatibility	 Reacts with acids Avoid reaction wit Avoid strong acids 	n oxidising agents		. , , ,	
_	<u> </u>	A A	_		^	





- Must not be stored together

0 - May be stored together with specific preventions

- May be stored together

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Chemwatch: 5257-79 Page 5 of 13 Issue Date: 18/07/2017 Version No: 2.1.1.1 Print Date: 20/06/2019

Combined Systems MODEL 6230 CS Smoke Grenade

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	sucrose	Sucrose	10 mg/m3	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	o-chlorobenzylidene malononitrile	o-Chlorobenzylidene malononitrile	Not Available	Not Available	0.05 ppm / 0.39 mg/m3	Not Available
Australia Exposure Standards	silicon powder amorphous	Silicon	10 mg/m3	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	barium chromate	Chromium (VI) compounds (as Cr), certain water insoluble	0.05 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	nickel	Nickel, metal	1 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	nickel	Nickel, powder	1 mg/m3	Not Available	Not Available	Not Available
Australia Exposure Standards	lead thiocyanate	Lead, inorganic dusts & fumes (as Pb)	0.05 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium chlorate	Potassium chlorate	5.6 mg/m3	62 mg/m3	370 mg/m3
o-chlorobenzylidene malononitrile	Chlorobenzylidene malononitrile, o-; (Tear Gas)	Not Available	Not Available	Not Available
magnesium carbonate hydroxide	Magnesium carbonate hydroxide	30 mg/m3	330 mg/m3	2,000 mg/m3
potassium nitrate	Potassium nitrate	9 mg/m3	100 mg/m3	600 mg/m3
silicon powder amorphous	Silicon	45 mg/m3	100 mg/m3	630 mg/m3
carbon, activated	Carbon; (Graphite, synthetic)	6 mg/m3	16 mg/m3	95 mg/m3
barium chromate	Barium chromate	0.15 mg/m3	13 mg/m3	77 mg/m3
nickel	Nickel	4.5 mg/m3	50 mg/m3	99 mg/m3

Ingredient	Original IDLH	Revised IDLH
potassium chlorate	Not Available	Not Available
sucrose	Not Available	Not Available
o-chlorobenzylidene malononitrile	2 mg/m3	Not Available
magnesium carbonate hydroxide	Not Available	Not Available
potassium nitrate	Not Available	Not Available
nitrocellulose	Not Available	Not Available
silicon powder amorphous	Not Available	Not Available
carbon, activated	Not Available	Not Available
barium chromate	Not Available	Not Available
nickel	Not Available	Not Available
lead thiocyanate	100 mg/m3	Not Available

MATERIAL DATA

Exposure controls

Appropriate engineering controls

Engineering controls for explosive articles are designed to reduce or eliminate fragmentation and/or blast effects either by suppression of the source of detonation or by protection at the exposed location, or both. Barricades, shields, contained detonation chambers, and "zero quantity-distance (Q-D)" magazines are examples of engineering controls.

Engineering controls are designed and tested in a rigorous fashion. The construction of the engineering control must be carefully duplicated in field applications to assure it will function properly.

It is thus imperative that engineering controls be built exactly in accordance with the design package, and that they be used only for the articles (e.g.munitions) for which they are authorised.

|Normally used outdoors.

Personal protection











Chemical goggles Full face shield may be required for supplementary but never for primary protection of eyes.

Eye and face protection

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

Skin protection

See Hand protection below

Version No: 2.1.1.1

Combined Systems MODEL 6230 CS Smoke Grenade

Issue Date: **18/07/2017** Print Date: **20/06/2019**

Hands/feet protection

Hands/feet protection

Hands/feet protection

Heavy weight Rubber gloves

Non-sparking or conductive footwear essential. Conductive footwear describes a boot or shoe with a sole made from a conductive compound chemically bound to the bottom components, for permanent control to electrically ground the foot an shall dissipate static electricity from the body to reduce the possibility of ignition of volatile compounds. Electrical resistance must range between 0 to 500,000 ohms. Conductive shoes should be stored in lockers close to the room in which they are worn. Personnel who have been issued conductive footwear should not wear them from their place of work to their homes and return.

Body protection

See Other protection below

For handling explosives or explosive compositions:

Wear close-fitting flame-protection treated clothing closed at the neck and sleeves.

Cotton underwear, socks and conductive shoes are recommended to avoid human static discharge.

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Where the concentration of gas/particulates in the breathing zone, approaches or exceeds the "Exposure Standard" (or ES), respiratory protection is required. Degree of protection varies with both face-piece and Class of filter; the nature of protection varies with Type of filter.

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	-AUS P2	-	-PAPR-AUS / Class 1 P2
up to 50 x ES	-	-AUS / Class 1 P2	-
up to 100 x ES	-	-2 P2	-PAPR-2 P2 ^

^ - Full-face

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- F Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- ▶ Use approved positive flow mask if significant quantities of dust becomes airborne.
- Try to avoid creating dust conditions.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Grey solid.		
Physical state	Manufactured	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water	Not Applicable	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Presence of shock and friction Presence of heat source and ignition source Product is considered stable under normal handling conditions. Stable under normal storage conditions. Hazardous polymerization will not occur. Avoid contact with other chemicals. [May detonate if case is punctured or severely damaged.

Chemwatch: **5257-79**Version No: **2.1.1.1**

Combined Systems MODEL 6230 CS Smoke Grenade

Issue Date: **18/07/2017** Print Date: **20/06/2019**

Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

	AL INI ORMANON		
Information on toxicological	effects		
Inhaled	Not normally a hazard due to physical form of product. Exposure to CS gas usually results in incapacitation after appro- constriction, sore eyes, runny nose, nausea and vomiting.	ox 20 secs exposure. Symptoms are coughing, dizziness, difficulty in breathing, with chest	
Ingestion	Not normally a hazard due to physical form of product.		
Skin Contact	Not normally a hazard due to physical form of product. The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis.		
	Not normally a hazard due to physical form of product.		
Еуе	The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. Irritation of the eyes may produce a heavy secretion of tears (lachrymation).		
Chronic	May cause damage to organs through prolonged or repeated ex normal handling of this product, no exposure to harmful materia	sposure. Explosive components are completely sealed within the metal container. Under ls will occur.	
Combined Systems MODEL	TOXICITY	IRRITATION	
Combined Systems MODEL 6230 CS Smoke Grenade	Not Available	Not Available	
		1	
	TOXICITY	IRRITATION	
potassium chlorate	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available	
	Oral (rat) LD50: 1870 mg/kg ^[2]	l .	
	тохісіту	IRRITATION	
sucrose	Oral (rat) LD50: 29700 mg/kg ^[2]	Not Available	
	TOXICITY	IRRITATION	
	Oral (rat) LD50: 178 mg/kg ^[2]	Eye (man): 0.00062 mg Std. Draize	
o-chlorobenzylidene		Eye (man): 5 mg/m3/20S. SEVERE	
malononitrile		Eye: adverse effect observed (irritating) $^{[1]}$	
		Skin (human): 10 mg/1H Mild	
		Skin: adverse effect observed (irritating) ^[1]	
magnesium carbonate	TOXICITY	IRRITATION	
hydroxide	Not Available	Not Available	
	TOXICITY	IRRITATION	
potassium nitrate	dermal (rat) LD50: >5000 mg/kg ^[1]	Not Available	
	Oral (rat) LD50: >2000 mg/kg ^[1]		
	TOXICITY	IRRITATION	
nitrocellulose	Oral (rat) LD50: >5000 mg/kg ^[2]	Not Available	
	TOXICITY	IRRITATION	
silicon powder amorphous	Oral (rat) LD50: >50-300 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]	
		Skin: no adverse effect observed (not irritating) ^[1]	
	TOXICITY	IRRITATION	
carbon, activated	Oral (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]	
		Skin: no adverse effect observed (not irritating) ^[1]	
	TOXICITY	IRRITATION	
barium chromate	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye: no adverse effect observed (not irritating) ^[1]	
	Oral (rat) LD50: 52 mg/kg ^[1]	Skin: no adverse effect observed (not irritating) ^[1]	
	* *		

Version No: **2.1.1.1**

Combined Systems MODEL 6230 CS Smoke Grenade

Issue Date: **18/07/2017**Print Date: **20/06/2019**

	TOXICITY	IRRITATION [1]	
nickel	Oral (rat) LD50: 5000 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1]	
		Skin: no adverse effect observed (not irritating) ^[1]	
lead thiocyanate	TOXICITY	IRRITATION	
, , , , , , , , , , , , , , , , , , , ,	Not Available	Not Available	
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity data extracted from RTECS - Register of Toxic Effect of chemical Substances	·	
SUCROSE	Oral (Human) TDLo: 9.6E-5 mg/kg		
O-CHLOROBENZYLIDENE MALONONITRILE	Allergic reactions which develop in the respiratory passages as bronchial asthma or rhinoconjunctivitis, are mostly the result of reactions of the allergen with specific antibodies of the IgE class and belong in their reaction rates to the manifestation of the immediate type. In addition to the allergen-specific potential for causing respiratory sensitisation, the amount of the allergen, the exposure period and the genetically determined disposition of the exposed person are likely to be decisive. Factors which increase the sensitivity of the mucosa may play a role in predisposing a person to allergy. They may be genetically determined or acquired, for example, during infections or exposure to irritant substances. Immunologically the low molecular weight substances become complete allergens in the organism either by binding to peptides or proteins (haptens) or after metabolism (prohaptens). Particular attention is drawn to so-called atopic diathesis which is characterised by an increased susceptibility to allergic rhinitis, allergic bronchial asthma and atopic eczema (neurodermatitis) which is associated with increased IgE synthesis. Exogenous allergic alveolitis is induced essentially by allergen specific immune-complexes of the IgG type; cell-mediated reactions (T lymphocytes) may be involved. Such allergy is of the delayed type with onset up to four hours following exposure. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is often characterised by skin redness (erythema) and swelling epidermis. Histologically there may be intercellular oedema of the spongy layer (spongiosis) and intracellular oedema of the epidermis. The effect of CS on a person will depend on whether it is packaged as a solution or used as an aerosol. The size of solution dropl		
SILICON POWDER AMORPHOUS	medical attention immediately Intraperitoneal injection of silicon produced only minor local trauma and foreign body reaction. Parenterally administered elemental silica is considered biologically inert. Dogs and rats fed 800 mg silicon/kg/day (as the dioxide) for 1 month showed no clinical signs or histological changes. The compound was largely eliminated in the faeces. Normal human cerebral cortex tissue contains about 3.8 ug/g silicon The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. The substance is classified by IARC as Group 3:		
CARBON, ACTIVATED	NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in animal testing.		
BARIUM CHROMATE	WARNING: This substance has been classified by the IARC as Group 1: CA	ARCINOGENIC TO HUMANS.	
NICKEL	WARNING: This substance has been classified by the IARC as Group 2B: F Tenth Annual Report on Carcinogens: Substance anticipated to be Carcinoge [National Toxicology Program: U.S. Dep. of Health & Human Services 2002] Oral (rat) TDLo: 500 mg/kg/5D-I Inhalation (rat) TCLo: 0.1 mg/m3/24H/17W-	en	
O-CHLOROBENZYLIDENE MALONONITRILE & BARIUM CHROMATE & NICKEL	The following information refers to contact allergens as a group and may not be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact eczema involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. Other allergic skin reactions, e.g. contact urticaria, involve antibody-mediated immune reactions. The significance of the contact allergen is not simply determined by its sensitisation potential: the distribution of the substance and the opportunities for contact with it are equally important. A weakly sensitising substance which is widely distributed can be a more important allergen than one with stronger sensitising potential with which few individuals come into contact. From a clinical point of view, substances are noteworthy if they produce an allergic test reaction in more than 1% of the persons tested.		
O-CHLOROBENZYLIDENE MALONONITRILE & SILICON POWDER AMORPHOUS	Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. A reversible airflow pattern, on spirometry, with the presence of moderate to severe bronchial hyperreactivity on methacholine challenge testing and the lack of minimal lymphocytic inflammation, without eosinophilia, have also been included in the criteria for diagnosis of RADS. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. Industrial bronchitis, on the other hand, is a disorder that occurs as result of exposure due to high concentrations of irritating substance (often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.		
MAGNESIUM CARBONATE HYDROXIDE & NITROCELLULOSE & CARBON, ACTIVATED & LEAD THIOCYANATE	No significant acute toxicological data identified in literature search.		
Acute Toxicity	✓	Carcinogenicity	

Page 9 of 13

Chemwatch: 5257-79
Version No: 2.1.1.1
Combined Syst

Combined Systems MODEL 6230 CS Smoke Grenade

Issue Date: **18/07/2017** Print Date: **20/06/2019**

	_		_
Skin Irritation/Corrosion	✓	Reproductivity	×
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	✓
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Legend:

X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Combined Systems MODEL	ENDPOINT	TEST DURATION (HR)	SPECIES	VALU	E SOUR
6230 CS Smoke Grenade	Not Available	Not Available	Not Available	Not Availa	ble Availal
	ENDPOINT	TEST DURATION (HR)	SPECIES	SPECIES VALUE	
	LC50	96	Fish	>1-mg	/L 2
	EC50	48	Crustacea	>1-mo	/L 2
potassium chlorate	EC50	72	Algae or other aquatic plants	Algae or other aquatic plants >1-mg/L	
	EC10	72	Algae or other aquatic plants	>1-mç	/L 2
	NOEC	72	Algae or other aquatic plants	<0.5m	g/L 4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOUR
sucrose	LC50	96	Fish	2200000mg	/L 3
	EC50	96	Algae or other aquatic plants	60200000m	g/L 3
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOUR
o-chlorobenzylidene	LC50	96	Fish	0.22mg/L	4
malononitrile	EC50	48	Crustacea	ca.0.244m	g/L 2
	EC50	72	Algae or other aquatic plants	ca.1.663m	g/L 2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALU	E SOUR
magnesium carbonate hydroxide	Not Available	Not Available	Not Available	Not Availa	Not ble Availal
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOUR
	LC50	96	Fish	1-378mg/L	2
potassium nitrate	EC50	48	Crustacea	490mg/L	2
	EC50	96	Algae or other aquatic plants	1181.887m	g/L 3
	NOEC	720	Fish	58mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALU	E SOUR
nitrocellulose	EC50	96	Algae or other aquatic plants	579m	g/L 4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOUR
	EC50	48	Crustacea	ca.35.4m	g/L 2
silicon powder amorphous	EC50	72	Algae or other aquatic plants	>100mg/	_ 2
	NOEC	72	Algae or other aquatic plants	ca.3.2mg	/L 2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALU	E SOUR
carbon, activated	Not Available	Not Available	Not Available	Not Availa	Not ble Availal
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOUR
L	LC50	96	Fish	>=3.3mg	/L 2
barium chromate	EC50	96	Algae or other aquatic plants	0.32mg/l	2
	NOEC	72	Algae or other aquatic plants	>=1.15m	g/L 2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOUR
	LC50	96	Fish	0.0000475mg/l	4
	EC50	48	Crustacea	0.001-0.576mg	L 2
nickel	EC50	72	Algae or other aquatic plants	0.00094mg/L	2
	BCF	1440	Algae or other aquatic plants	0.47mg/L	4
	NOEC	240	Crustacea	>0.001-0.715m	g/L 2

Chemwatch: 5257-79 Page 10 of 13

Version No: 2.1.1.1

Combined Systems MODEL 6230 CS Smoke Grenade

Issue Date: 18/07/2017 Print Date: 20/06/2019

lead thiocyanate

ENDPOINT TEST DURATION (HR)	SPECIES	VALUE	SOURCE
NOEC 2976	Fish	1.1mg/L	5

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
potassium chlorate	HIGH	HIGH
sucrose	LOW	LOW
o-chlorobenzylidene malononitrile	HIGH	HIGH
potassium nitrate	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
potassium chlorate	LOW (LogKOW = -4.6296)
sucrose	LOW (LogKOW = -3.7)
o-chlorobenzylidene malononitrile	LOW (LogKOW = 2.7611)
potassium nitrate	LOW (LogKOW = 0.209)

Mobility in soil

Ingredient	Mobility
potassium chlorate	LOW (KOC = 35.04)
sucrose	LOW (KOC = 10)
o-chlorobenzylidene malononitrile	LOW (KOC = 1727)
potassium nitrate	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- ▶ Explosives must not be thrown away, buried, discarded or placed with garbage.
- Explosives which are surplus, deteriorated or considered unsafe for transport, storage or use shall be destroyed and the statutory authorities shall be notified.
- This material may be disposed of by burning or detonation but the operation may only be performed under the control of a person trained in the safe destruction of explosives.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant



HAZCHEM

1YE

Land transport (ADG)

UN number	0303
UN proper shipping name	AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge
Transport hazard class(es)	Class 1.4G Subrisk Not Applicable
Packing group	Not Applicable
Environmental hazard	Not Applicable

Chemwatch: **5257-79** Page **11** of **13**

Version No: 2.1.1.1 Combined Systems MODEL 6230 CS Smoke Grenade

Issue Date: **18/07/2017**Print Date: **20/06/2019**

Special precautions for user

Special provisions	204
Limited quantity	Not Applicable

Air transport (ICAO-IATA / DGR)

UN number	0303			
UN proper shipping name	Ammunition, smoke with	or without burster, expelling charge or p	ropelling charge	
Transport hazard class(es)	ICAO/IATA Class	1.4G		
	ICAO / IATA Subrisk	Not Applicable		
	ERG Code	1L		
Packing group	Not Applicable			
Environmental hazard	Environmentally hazardo	us		
	Special provisions		A132	
	Cargo Only Packing Ir	nstructions	130	
	Cargo Only Maximum Qty / Pack		75 kg	
Special precautions for user	Passenger and Cargo	Packing Instructions	Forbidden	
	Passenger and Cargo Maximum Qty / Pack		Forbidden	
	Passenger and Cargo Limited Quantity Packing Instructions		Forbidden	

Sea transport (IMDG-Code / GGVSee)

UN number	0303	
UN proper shipping name	AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	
Transport hazard class(es)	IMDG Class 1.4G IMDG Subrisk Not Applicable	
Packing group	Not Applicable	
Environmental hazard	Marine Pollutant	
Special precautions for user	EMS Number F-B , S-X Special provisions 204 Limited Quantities 0	

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM CHLORATE(3811-04-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List
Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals
Australia Inventory of Chemical Substances (AICS)

Australia Product for the Lighter Cabadyling of Medicines and Deigons (CLISME)

2
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule
5
International Air Transport Association (IATA) Dangerous Goods Regulations

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

International Maritime Dangerous Goods Requirements (IMDG Code)
United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Index

SUCROSE(57-50-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards Australia Inventory of Chem

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

\parallel O-CHLOROBENZYLIDENE MALONONITRILE(2698-41-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List
Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes
Australia Exposure Standards

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Index International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Requirements (IMDG Code)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2) $\,$

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix J (Part 2) $\,$

MAGNESIUM CARBONATE HYDROXIDE(7760-50-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Combined Systems MODEL 6230 CS Smoke Grenade

10 / Appendix C

Australia Inventory of Chemical Substances (AICS)

Version No: 2.1.1.1

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix F (Part 3)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Index

POTASSIUM NITRATE(7757-79-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Requirements (IMDG Code) United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

Issue Date: 18/07/2017

Print Date: 20/06/2019

NITROCELLULOSE(9004-70-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - Goods Too Dangerous To Be Transported Australia Explosives Code (AE Code)

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Index International Air Transport Association (IATA) Dangerous Goods Regulations

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

SILICON POWDER AMORPHOUS(7440-21-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

CARBON, ACTIVATED(7440-44-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes

Australia Inventory of Chemical Substances (AICS)

International Air Transport Association (IATA) Dangerous Goods Regulations

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

BARIUM CHROMATE(10294-40-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes

Australia Explosives Code (AE Code)

Australia Exposure Standards

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Inventory of Chemical Substances (AICS)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix E (Part 2)

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Index Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Part 2. Section Seven - Appendix I

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

NICKEL(7440-02-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Hazardous chemicals which may require Health Monitoring

Australia Inventory of Chemical Substances (AICS)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

LEAD THIOCYANATE(592-87-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Dangerous Goods Code (ADG Code) - Dangerous Goods List

Australia Dangerous Goods Code (ADG Code) - List of Emergency Action Codes Australia Exposure Standards

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Inventory of Chemical Substances (AICS) Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix

E (Part 2) Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Appendix

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Index

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Air Transport Association (IATA) Dangerous Goods Regulations

International Maritime Dangerous Goods Requirements (IMDG Code)

United Nations Recommendations on the Transport of Dangerous Goods Model Regulations

National Inventory Status

F (Part 3)

National Inventory	Status
Australia - AICS	No (o-chlorobenzylidene malononitrile)
Canada - DSL	No (o-chlorobenzylidene malononitrile; lead thiocyanate)
Canada - NDSL	No (silicon powder amorphous; sucrose; barium chromate; magnesium carbonate hydroxide; nitrocellulose; carbon, activated; nickel; potassium chlorate; potassium nitrate)
China - IECSC	No (o-chlorobenzylidene malononitrile)
Europe - EINEC / ELINCS / NLP	No (nitrocellulose)
Japan - ENCS	No (silicon powder amorphous; sucrose; o-chlorobenzylidene malononitrile; carbon, activated; nickel)
Korea - KECI	Yes
New Zealand - NZIoC	No (lead thiocyanate)

Chemwatch: 5257-79 Page 13 of 13 Issue Date: 18/07/2017 Version No: 2.1.1.1 Print Date: 20/06/2019

Combined Systems MODEL 6230 CS Smoke Grenade

Philippines - PICCS	No (o-chlorobenzylidene malononitrile)
USA - TSCA	Yes
Taiwan - TCSI	No (o-chlorobenzylidene malononitrile)
Mexico - INSQ	No (magnesium carbonate hydroxide)
Vietnam - NCI	No (o-chlorobenzylidene malononitrile)
Russia - ARIPS	No (magnesium carbonate hydroxide; lead thiocyanate)
Thailand - TECI	No (barium chromate; magnesium carbonate hydroxide; lead thiocyanate)
Legend:	Yes = All CAS declared ingredients are on the inventory No = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	18/07/2017
Initial Date	Not Available

Other information

Ingredients with multiple cas numbers

Name	CAS No
magnesium carbonate hydroxide	7760-50-1, 12072-90-1

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.