

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

- Trade name: **Direct Impact® Marking 40 mm Crushable Foam Round**
- Product code: 6326 (1012836)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture: Crowd Control Device
- Uses advised against: Contact manufacturer.

### 1.3 Details of the supplier of the Safety Data Sheet

#### Manufacturer/Supplier:

Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200

- Further information obtainable from: Customer Care Department



### 1.4 Emergency telephone number:

ChemTel Inc.  
(800)255-3924, +1 (813)248-0585

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

Expl. 1.4 H204 Fire or projection hazard.

#### Additional information:

There are no other hazards not otherwise classified that have been identified.  
0 % of the mixture consists of component(s) of unknown toxicity.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

Elements relevant to explosives are not used in Canada.

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS01

#### Signal word Warning

- Hazard-determining components of labelling: Not applicable.

#### Hazard statements

H204 Fire or projection hazard.

(Cont'd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 1)

- **Precautionary statements**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P250 Do not subject to grinding/shock/friction.
- P280 Wear protective gloves / eye protection / face protection.
- P373 DO NOT fight fire when fire reaches explosives.
- P370+P380 In case of fire: Evacuate area.
- P372 Explosion risk in case of fire.
- P401 Store in accordance with local/regional/national/international regulations.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:**

Can become highly flammable in use.

- **NFPA ratings (scale 0 - 4)**



Health = 2  
Fire = 0  
Reactivity = 3

- **HMIS-ratings (scale 0 - 4)**

Warning: Contains lead salt(s). Long-term health hazard.



HEALTH 2 Health = 2  
FIRE 0 Fire = 0  
REACTIVITY 3 Reactivity = 3

\* - Indicates a long term health hazard from repeated or prolonged exposures.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Explosive Product Notice**

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

(Cont'd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016







**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 2)

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

#### · Components:








CAS: 1314-23-4 EINECS: 215-227-2	zirconium dioxide substance with a Community workplace exposure limit	5-<10%
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular  Expl. 1.1, H201	2,5-5%
CAS: 1305-78-8 EINECS: 215-138-9	calcium oxide  Eye Dam. 1, H318  Skin Irrit. 2, H315; STOT SE 3, H335	0,1-<1%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	0,1-1%
CAS: 122-39-4 EINECS: 204-539-4 Index number: 612-026-00-5	diphenylamine  Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331  STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0,1-1%

#### · Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and/or exact percentages are being withheld as a trade secret.

#### · Notable Trace Components (≤ 0,1% w/w)

CAS: 15245-44-0 EINECS: 239-290-0 Index number: 609-019-00-4	lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate  Unst. Expl., H200  Repr. 1A, H360Df; STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Acute Tox. 4, H332
CAS: 592-87-0 EINECS: 209-774-6 Index number: 082-001-00-6	lead dithiocyanate  Repr. 1A, H360Df; STOT RE 2, H373  Aquatic Acute 1, H400; Aquatic Chronic 1, H410  Acute Tox. 4, H302; Acute Tox. 4, H332

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

#### · General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

Remove breathing equipment only after contaminated clothing have been completely removed.

#### · After inhalation:

Remove victim to fresh air.

Seek immediate medical advice.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Cont'd. on page 4)

**Safety Data Sheet**  
 according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
 OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 3)

- **After skin contact:**

Immediately remove any clothing soiled by the product.  
 Brush off loose particles from skin.  
 Immediately wash with water and soap and rinse thoroughly.  
 If skin irritation continues, consult a doctor.

- **After eye contact:**

Remove contact lenses if worn.  
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:**

Rinse out mouth and then drink plenty of water.  
 Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed**

Asthma attacks  
 Blast injury if mishandled.  
 Allergic reactions  
 May cause respiratory irritation.  
 Breathing difficulty  
 Coughing  
 Irritant to eyes.  
 Irritant to skin and mucous membranes.

- **Hazards:**

Danger of blast or crush-type injuries.  
 Harmful in contact with skin.  
 Danger of impaired breathing.

- **4.3 Indication of any immediate medical attention and special treatment needed**

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.  
 Contains [(2-chlorophenyl)methylene]malononitrile. May produce an allergic reaction.  
 Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.  
 In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.  
 Monitor circulation, possible shock treatment.  
 Treat skin and mucous membrane with antihistamine and corticoid preparations.  
 If necessary oxygen respiration treatment.  
 Medical supervision for at least 48 hours.

## SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:**

DO NOT fight fire when fire reaches explosives.  
 Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- **For safety reasons unsuitable extinguishing agents:** None.

- **5.2 Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.  
 Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

(Cont'd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 4)

### · 5.3 Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device.  
Wear fully protective suit.

#### · Additional information:

Eliminate all ignition sources if safe to do so.  
Cool endangered receptacles with water spray.  
Evacuate area and fight fire from the upwind side.  
Flammability Classification: (defined by 29 CFR 1910.1200) Explosive. Can explode under fire conditions. Individual devices will randomly explode. Will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. In unusual cases, shrapnel may be thrown from exploding devices under containment. See 2008 Emergency response Guidebook for further information.

## SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTEL AT 1-800-255-3924. Spills of this material should be handled carefully. Do not subject materials to mechanical shock or extreme heat. A spill of this material will normally not require emergency response team capabilities.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Isolate area and prevent access.

### · 6.2 Environmental precautions

No special measures required.

### · 6.3 Methods and material for containment and cleaning up

Pick up mechanically.

Dispose contaminated material as waste according to section 13.

Send for recovery or disposal in suitable receptacles.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### · 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Avoid breathing dust.

Use only in well ventilated areas.

### · Information about fire - and explosion protection:

Protect from heat.

Keep respiratory protective device available.

(Cont'd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 5)

Emergency cooling must be available in case of nearby fire.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Avoid storage near extreme heat, ignition sources or open flame.

· **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from flammable substances.

· **Further information about storage conditions:** Store in dry conditions.

· **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**69012-64-2 silica-amorphous silica fume**

TLV (USA)	TLV withdrawn
-----------	---------------

**1314-23-4 zirconium dioxide**

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup> as Zr
-----------	---

REL (USA)	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> as Zr
-----------	---

TLV (USA)	Short-term value: 10 mg/m <sup>3</sup> Long-term value: 5 mg/m <sup>3</sup> as Zr
-----------	---

**1305-78-8 calcium oxide**

PEL (USA)	Long-term value: 5 mg/m <sup>3</sup>
-----------	--------------------------------------

REL (USA)	Long-term value: 2 mg/m <sup>3</sup>
-----------	--------------------------------------

TLV (USA)	Long-term value: 2 mg/m <sup>3</sup>
-----------	--------------------------------------

**7440-50-8 copper**

PEL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
-----------	--

REL (USA)	Long-term value: 1* 0,1** mg/m <sup>3</sup> as Cu *dusts and mists **fume
-----------	--

TLV (USA)	Long-term value: 1* 0,2** mg/m <sup>3</sup> *dusts and mists; **fume; as Cu
-----------	--

**122-39-4 diphenylamine**

REL (USA)	Long-term value: 10 mg/m <sup>3</sup>
-----------	---------------------------------------

TLV (USA)	Long-term value: 10 mg/m <sup>3</sup>
-----------	---------------------------------------

· **DNELs:** No further relevant information available.

(Cont'd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 6)

- **PNECs:** No further relevant information available.
- **8.2 Exposure controls**
- **Engineering measures** Provide adequate ventilation.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Immediately remove all soiled and contaminated clothing.  
Do not inhale dust / smoke / mist.  
Avoid contact with the eyes and skin.  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required under normal conditions of use.
- **Protection of hands:**



Protective gloves

Wear gloves when handling deployed rounds.  
Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

- **Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment:**  
No further relevant information available.
- **Risk management measures:**  
See Section 7 for additional information.  
Organizational measures should be in place for all activities involving this product.  
No further relevant information available.

## SECTION 9: Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · Appearance

**Form:** Solid metal container containing liquid and solid contents.

**Colour:** According to product specification

· **Odour:** Odourless

· **Odour threshold:** Not determined.

· **pH-value:** Not applicable.

· **Melting point/Melting range:** Not determined.

· **Boiling point/Boiling range:** Not determined.

(Cont'd. on page 8)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 7)

· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not determined.
· <b>Auto/Self-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Danger of explosion:</b>	Heating may cause an explosion.
· <b>Explosion limits</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure:</b>	Not applicable.
· <b>Density:</b>	Not determined.
· <b>Relative density:</b>	Not determined.
· <b>Vapour density:</b>	Not applicable.
· <b>Evaporation rate:</b>	Not applicable.
· <b>Solubility in / Miscibility with water:</b>	Insoluble.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>9.2 Other information</b>	No further relevant information available.

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Danger of explosion.  
Toxic fumes may be released if heated above the decomposition point.  
Contact with acids releases toxic gases.  
Acts as an oxidising agent on organic materials such as wood, paper and fats.  
Reacts with strong alkali.
- **10.4 Conditions to avoid** Sources of ignition, open flame, incompatible materials.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides

(Cont'd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

Sulphur oxides (SOx)

(Cont'd. from page 8)

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

- **Acute toxicity:** Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification:

**122-39-4 diphenylamine**

Oral | LD50 | 1120 mg/kg (rat)

- **Primary irritant effect**

Effects based on exposure to dusts/mists/spray/vapours released during deployment. Unused product does not possess these effects.

- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation:** Based on available data, the classification criteria are not met.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable routes of exposure:**

Eye contact.  
Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1 Toxicity

- **Aquatic toxicity:** The product contains materials that are harmful to the environment.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish

(Cont'd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 9)

- **Additional ecological information:**
- **General notes:**
  - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
  - The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary
  - Harmful to aquatic organisms
  - Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
  - Must not be disposed together with household garbage. Do not allow product to reach sewage system.
  - After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.
  - The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>DOT, ADR, IMDG, IATA</b></li> </ul>                                | UN0012  |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>DOT, IMDG, IATA</b></li> <li>· <b>ADR</b></li> </ul> | CARTRIDGES FOR WEAPONS, INERT<br>PROJECTILE<br>0012 CARTRIDGES FOR WEAPONS, INERT<br>PROJECTILE |

(Cont'd. on page 11)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 10)

· **14.3 Transport hazard class(es)**

· **DOT**



· **Class** 1.4  
 · **Label** 1.4U

· **ADR**



· **Class** 1 ( ) Explosive substances and articles.  
 · **Label** 1.4U

· **IMDG, IATA**



· **Class** 1.4  
 · **Label** 1.4U

· **14.4 Packing group**  
 · **DOT, ADR, IMDG, IATA** II

· **14.5 Environmental hazards:**  
 · **Marine pollutant:** No

· **14.6 Special precautions for user** Warning: Explosive substances and articles.  
 · **EMS Number:** F-B,S-X

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **ADR**  
 · **Excepted quantities (EQ)** Code: E0  
 Not permitted as Excepted Quantity  
 · **Transport category** 2  
 · **Tunnel restriction code** E

· **IMDG**  
 · **Excepted quantities (EQ)** Code: E0  
 Not permitted as Excepted Quantity

(Cont'd. on page 12)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

Trade name: Direct Impact® Marking 40 mm Crushable Foam Round

(Cont'd. from page 11)

## SECTION 15: Regulatory information

### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- United States (USA)
- SARA

#### · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

#### · Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

#### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

#### · Proposition 65 (California):

- Chemicals known to cause cancer:  
Present in trace quantities.

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

- Chemicals known to cause reproductive toxicity for females:  
Present in trace quantities.

None of the ingredients are listed.

- Chemicals known to cause reproductive toxicity for males:  
Present in trace quantities.

None of the ingredients are listed.

- Chemicals known to cause developmental toxicity:  
Present in trace quantities.

15245-44-0 | lead 2,4,6-trinitro-m-phenylene dioxide/ lead styphnate

#### · Carcinogenic Categories

#### · EPA (Environmental Protection Agency)

7440-50-8 | copper

D

7440-66-6 | zinc metal

D, I, II

#### · IARC (International Agency for Research on Cancer)

69012-64-2 | silica-amorphous silica fume

3

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

#### · Directive 2012/18/EU

- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

#### · National regulations:

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Cont'd. on page 13)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 12)

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H201 Explosive; mass explosion hazard.  
 H301 Toxic if swallowed.  
 H311 Toxic in contact with skin.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H331 Toxic if inhaled.  
 H335 May cause respiratory irritation.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 SVHC: Substances of Very High Concern  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 Expl. 1.1: Explosives, Division 1.1  
 Expl. 1.4: Explosives, Division 1.4  
 Acute Tox. 3: Acute toxicity, Hazard Category 3  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2  
 Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

(Cont'd. on page 14)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
OSHA GHS

Printing date: May 17, 2016

Revision: May 17, 2016

**Trade name: Direct Impact® Marking 40 mm Crushable Foam Round**

(Cont'd. from page 13)

· **Sources**

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)