PepperBall Technologies

MATERIAL SAFETY DATA SHEET (MSDS)

Date Updated: 2/4/2002

SECTION I - Product Name/Manufacturer Identification

Product Name: Latex Green Ball Marking Liquid

Product Class: Water Based Pigment Dispersion

Manufacturer Identification:

Manufacturer Name: Graham Paint & Varnish Co.

Address: 4800 S. Richmond St. Chicago, IL 60632, USA

Emergency Telephone Number: 800-424-9300

(800) 255-2628 Information:

SECTION II – Hazardous Ingredients

No known hazardous ingredients.

Ingredients:

TLVTLV VAP/PRES

LEL

PPM mg/M3 MM HG @ 20°C

SECTION III - Physical Data

Boiling Range:

212-400 degrees F

Vapor Density: Evaporation Rate: Heavier than air Slower than Ether

% Volatile by Volume:

85.63

Weight per Gallon:

9.14 lbs.

SECTION IV - Fire and Explosion Data

Flammability Class:

Not applicable.

Flash Point:

>400°F

Extinguishing Media:

Not applicable.

Unusual Fire Hazards:

Fire Fighting Procedures: Containers may rupture when exposed to extreme heat. In case of fire with this material, use proper protective equipment including self-contained breathing apparatus. Can emit toxic fumes upon burning.

SECTION V - Health Hazard Data

Threshold Limit Value:

See Section II

Overexposure Acute:

Can cause irritation of eyes and skin. Swallowing can cause gastronomical irritation.

Breathing concentrated vapors can cause headache or nausea.

Overexposure Chronic:

The toxicological properties of this product have not been fully investigated. Repeated

exposure may present additional hazards.

First Aid Procedure:

Skin Contact:

Wash with soap and water. Use emollient cream or lotion.

Eve Contact:

Flush eye with plenty of water. See Physician.

Inhalation:

Provide fresh air and rest.

Ingestion:

Do not induce vomiting. Call Physician.

SECTION VI - Reactivity Data

Stability:

Stable

Conditions to Avoid:

None

Incompatibility:

None

Hazardous Decomp. Prod.:

Thermal decomposition may yield oxides of carbon.

Polymerization:

Will not occur.

Conditions to Avoid:

None

SECTION VII - Spill or Leak Procedures

Spilled Material Steps:

Absorb on inert materials or flush with water.

Waste Disposal Method:

Incineration or land fill in accordance with Federal, State and Local Regulations.

SECTION VIII – Special Protection Information

Respiratory Protection:

None needed if good ventilation is maintained. In confirmed or poorly ventilated areas where vapor concentrations are encountered, wear NIOSH/Mesa approved respirator.

Ventilation:

Use only with adequate ventilation. Avoid breathing vapor and spray mist. Avoid breathing sanded or

blasted dust.

Protective gloves: Recommended. Impervious type.

Eve protection:

Recommended. Safety goggles with unperforated side shields.

Other Protective Equipment:

As required to avoid wetting clothes.

SECTION IX – Special Precautions

Precautions Handling:

See below

DOL Storage Category:

Other Precautions:

Keep container closed when not in use. Do not transfer material to other containers for

storage. Store in a cool area. Keep out of the reach of children.

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE AND RELIABLE, HOWEVER, NO WARRANTY EITHER EXPRESSED OR IMPLIED IS MADE. CONDITIONS UNDER WHICH THIS INFORMATION MAY BE APPLIED ARE BEYOND OUR CONTROL AND WE CAN ASSUME NO LIABILITY FOR RESULTS OF ITS APPLICATION. THIS PRODUCT IS DESIGNED TO BE USED BY PERSONS HAVING SUFFICIENT SKILL TO MAKE INFORMED JUDGEMENTS REGARDING ITS APPLICATION.